

Ragsnag Ring

Maintenance Equipment for Vacuum Toilet Systems

Innovative Designs:

Ragsnag Ring have developed a range of innovative maintenance equipment specifically designed to enhance the operation of Marine Vacuum Sanitary Systems as installed on a wide variety of vessels and offshore installations operating worldwide.



The Ragsnag Ring....

Results Speak for Themselves.....


Over 300,000 Ragsnag Rings have been fitted to more than 300 vessels worldwide ranging from Cruise Liners, Ro-Ro Ferries, Warships, Luxury Yachts and Fishing Vessels.

Reports from Chief Engineers serving on vessels fitted with the units have indicated that the Ragsnag Rings are extremely effective and have dramatically reduced the occurrence of blockages within the vacuum pipework. This, in turn, has enhanced the operation of the vacuum toilet system in general.

How it Works

The Ragsnag ring is installed between the internal recess of the rubber connection and outlet pipe with the hooked centre barb projecting from the upper section of the ring and pointing towards the toilet bowl.

The ring is strategically positioned in the toilet's line of flow to catch any objects or debris that could potentially block the vacuum mains. The barb is designed to snag prohibitive debris that can enter the system by misuse and retain it within the toilet discharge before it enters into the vacuum mainstream where it can create blockages and render large sections of the vacuum sanitary system inoperable. The barb, however, will not prevent the discharge of sewage and toilet paper.



Ragsnag Ring

Fitting Specification



Jets Discharge Valve



Evac Discharge Valve



Hamworthy Discharge Valve



Hamworthy Discharge Valve



Electrolux Discharge Valve



Evac Classic Discharge Valve

